

Expert series

Harnesses HT56 and HT55

These harnesses are designed for a wide range of applications.

Enhanced comfort is ensured by the back X-Pad, the mountaineering-type thigh straps and the linkage between the shoulder straps and thigh straps by connecting buckles.

The harnesses are very easy to put on as it opens fully at the front with the X-Pad preserving the harness form.

- Universal and very comfortable harness automatic with extra comfort for long periods of work
- 1 dorsal with a big Forged D anchorage to eliminate the risk of carabiner disconnection & 1 sternal anchorage.
- 2 thoracic anchorage forged D for the HT56.
- 1 comfort sub-pelvic strap / 3 adjustment points.
- Sliders for strap adjustment. Cannot be removed for security reasons.
- Independent mountain leg strap High-comfort.
- X-pad comfort back pad: Breathable and flexible - it gives the harness shape to make it easier to put on.
- Fall indicator on each anchorage.
- Label holder: ideal to customise the harness with a name, logo, information, etc..



Harness HT56

EN361




	S	M	XL	XXL
HT56 - Standard buckles	65302	65312	65322	-
HT56A - Quick-release buckles	65332	65342	65352	80682
HT56A - Quick-release buckles with Elastrac™	65682	65692	65702	80692



Harness HT55

EN361



	S	M	XL	XXL
HT55 - Standard Buckles	65592	65602	65612	-
HT55A - Quick-release Buckles	65622	65632	65642	80632
HT55A - Quick-release buckles with Elastrac™	65652	65662	65672	-



Harness HT120

EN361



Harness designed for movement (up or down) on structures equipped with an EN 353.1 rail or cable fall arrester device equipped with an approved fall arrest umbilical anti-fallback system attachment point.

The HT120 harness is equipped with an approved fall arrest umbilical attachment point. This attachment point, while being fall arrest approved, provides comfortable support going up or down. HT 120 is the only harness on the market that offers this type of attachment point.

The HT120 harness is particularly adapted for climbing on ladders equipped with a rail-mounted FABA type fall arrester, whether or not including a tractelift climbing aid system.

It's patented design prevents the user from falling backwards in the event of a fall, eliminating the risk of serious back injuries

- 1 dorsal attachment point.
- 2 thoracic attachment points.
- 1 umbilical attachment point.



	S	M	XL
HT120 - Standard Buckles	61702	61712	61722



Harness HT46

EN361

- Comfortable for long periods of work
- 1 dorsal "Forged D clip", 1 sternal and 2 thoracic ones
- 5 adjustment points.
- 1 sub-pelvic strap



- Sliders for strap adjustment. Cannot be removed for security reasons.
- High comfort independent mountain leg strap
- Label holder.



	S	M	XL	XXL
HT46 - Standard Buckles	55042	55052	55062	-
HT46A - Automatic Buckles	52972	52982	52992	80552
HT46A - Automatic Buckles with Elastrac™	54952	54962	54972	-



● Order products on day 1, will be shipped no later than day 2,

● Order products on day 1, will be shipped no later than day 6. Maximum quantities apply for this service.

○ Available on request. Please enquire about delivery times of these items.

Expert series



Harness HT45

EN361



- Comfortable for long periods of work
- 1 dorsal "Forged D clip", 1 sternal anchorage
- 5 adjustment points.
- 1 sub-pelvic strap.
- Sliders for strap adjustment. Cannot be removed for security reasons.
- Label holder.

	S	M	XL	XXL
HT45 - Standard Buckles	55012	55022	55032	75532
HT45A - Automatic Buckles	53072	53082	53092	-
HT45 AE - Automatic Buckles - Elastrac	54922	54932	54942	-



Harness HT45 with jacket

EN361 - EN471




	M	XL
HT45 with orange jacket - Flat buckles	83822	83832
HT45 with yellow jacket - Flat buckles	83802	83812



Harness HT44

EN361



- Comfortable for long periods of work
- 1 dorsal "Forged D clip" and 2 thoracic ones.
- 5 adjustment points.
- 1 sub-pelvic strap.
- High comfort independent mountain leg strap
- Sliders for strap adjustment. Cannot be removed for security reasons.
- Label holder.

	S	M	XL
HT44 - Standard Buckles	44102	44112	44122