

Stopfor fall arrest devices

Tractel offers a complete range of Stopfor. It is primarily split in two:

- Stopfor on stranded rope Ø14mm
- Stopfor on braided rope Ø11mm

The choice between the two kinds of product depends on the use of the Stopfor.

The braided rope is much lighter than stranded increasing the comfort of use with a long rope. While the Stopfor with the stranded rope can all be used horizontally (e.g. flat roof).

Inside each category, different versions are available depending on the application.

Product	Stopfor for stranded rope			
	B	BF	MSP	SL
150kg	✓	✓	✓	✓
Anti-reversibility	-	-	✓	✓
Pre-installed on rope	-	✓	-	-
Can be installed and removed at any point on the rope	✓	-	✓	✓
Safety Park function	-	-	✓	✓
Vertical use	✓	✓	✓	✓
Horizontal use (e.g. on flat roof)	✓	✓	✓	✓

Product	Stopfor for braided rope				
	KS 150kg	KSP 150kg	K	KS	KSP
150kg	✓	✓	-	-	-
Anti-reversibility	✓	✓	-	✓	✓
Pre-installed on rope	-	-	✓	-	-
Can be installed and removed at any point on the rope	✓	✓	-	✓	✓
Safety Park function	-	✓	-	-	✓
Vertical use	✓	✓	✓	✓	✓
Horizontal use (e.g. on flat roof)	-	-	✓	✓	✓

The version with the safety park function will be preferred when working on a steep roof and work positioning is required.

A pre-installed Stopfor on a rope will be preferred when it is important for the user or owner that the rope cannot be separated from the Stopfor.



High Capacity range 150 kg



Can be used on flat roof

Stopfor fall arrest devices

Use on a 14 mm diameter stranded rope



stopfor[®] B



stopfor[®] BF

Delivered already on the rope :
can not be open.



stopfor[®] MSP

- Anti-reversibility system : impossible to assemble upside down, enhanced security
- With park function : for a hold at the station



stopfor[®] SL

- Anti-reversibility system : impossible to assemble upside down, enhanced security
- With park function : for a hold at the station

Use on a 11 mm diameter braided rope



stopfor[®] KS

- Anti-reversibility system : impossible to assemble upside down, enhanced security



stopfor[®] KSP

- Anti-reversibility system : impossible to assemble upside down, enhanced security
- With park function : for a hold at the station



stopfor[®] KS

- Anti-reversibility system : impossible to assemble upside down, enhanced security



stopfor[®] KSP

- Anti-reversibility system : impossible to assemble upside down, enhanced security
- With park function : for a hold at the station



stopfor[®] K



High Capacity range 150 kg



Can be used on flat roof

Fall Arresters - Stopfor

150kg / Fall arresters on a flexible anchor line

Stopfor B

EN353-2 - CNB/P/11.075 - CNB/P/11.062

- Vertical & horizontal applications.
- Use on 14 mm diameter stranded rope.
- Installs & removes at any point of the rope.
- Lightweight & ergonomic.
- Easy to use & to transport.
- Aluminium.

Model	Length (cm)	Product Code
Stopfor B M10	-	106189
Stopfor B - strap + M41	30	106169
Stopfor B - strap + M42	30	106179




Stopfor BF


EN353-2 - CNB/P/11.075 - CNB/P/11.062


- Vertical & horizontal applications.
- Use on 14 mm diameter stranded rope.
- Product delivered already on the rope.
- Easy to use.
- Aluminium

Model	Length (m)	Product Code
Stopfor BF - rope 10m - strap + M41	10	79992
Stopfor BF - rope 15m - strap + M41	15	80002
Stopfor BF - rope 20m - strap + M41	20	80012
Stopfor BF - rope 30m - strap + M41	30	80072
Stopfor BF - rope 40m - strap + M41	40	80082



 Order products on day 1, will be shipped no later than day 2,

 Order products on day 1, will be shipped no later than day 6. Maximum quantities apply for this service.

 Available on request. Please enquire about delivery times of these items.

Fall Arresters - Stopfor

150kg / Fall arresters on a flexible anchor line



Stopfor MSP

EN353-2 - CNB/P/11.075 - CNB/P/11.062

- Vertical & horizontal applications.
- Use on 14 mm diameter stranded rope.
- Anti-reversibility system : impossible to assemble upside down, enhanced security.
- With park function : locks manually on the rope for a hold at the station.
- Easy to use & to transport.
- Installs & removes at any point of the rope.
- Galvanised steel.

Model	Product Code
Stopfor MSP	207018



Stopfor SL

EN353-2 - CNB/P/11.062

- Vertical applications.
- Use on 14 mm diameter stranded rope.
- Anti-reversibility system : impossible to assemble upside down, enhanced security.
- Installs & removes at any point of the rope.
- Stainless steel.

Model	Product Code
Stopfor SL - M10	276389
Stopfor SL - strap + M10	206918
Stopfor SL - strap + M41	206958
Stopfor SL - strap + M11	206928



Order products on day 1, will be shipped no later than day 2,



Order products on day 1, will be shipped no later than day 6. Maximum quantities apply for this service.



Available on request. Please enquire about delivery times of these items.